

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) 2020/878)

GluHU Remover

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name GluHU Remover

Product code None.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture Solvent

1.3. Details of the supplier of the safety data sheet

Company/Undertaking

Identification Fabrikstrasse 10

CH-9470 Buchs Switzerland

GluHU GmbH

Ph +41 43 311 70 20 info@atelierbassi.com

1.4. Emergency telephone

145 (Tox Info Suisse)

number international +41 44 251 51 51

Revision date 08.09.2022

Version GHS₁

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Serious eye damage/eye irritation, Cat. 2, H319

Regulation (EC) No. 1272/2008 Flammable liquids, Cat. 2, H225

Additional information For the full text of the phrases mentioned in this Section, see

Section 16.

GluHU Remover Print Date 08.09.2022 1 / 10

2.2. Label elements





Signal Word Danger

Hazard Statements H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

Precautionary statements P101: If medical advice is needed, have product container or

label at hand.

P102: Keep out of reach of children.

P210: Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking.

P241: Use explosion-proof [electrical/ventilating/lighting]

equipment.

P370+P378: In case of fire: Use dry sand, dry chemical or

alcohol-resistant foam for extinction.

P403+P235: Store in a well-ventilated place. Keep cool.

Supplemental information None.

Product identifier Not required.

Packaging Tactile warning of danger (EN/ISO 11683).

2.3. Other hazards None known.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Alcoholic solution.

Components		CLP Classification	Product identifier
Ethanol	30% - 50%	Eye Irrit. 2 H319, Flam. Liq. 2 H225	CAS-No.: 64-17-5 EC-No.: 200-578-6
Decamethylcyclopentasiloxan	20% - 40%	SVHC-PBT, SVHC-vPvB	CAS-No.: 541-02-6 EC-No.: 208-764-9
Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated	5% - 10%	Asp. Tox. 1 H304, Aquatic Chronic 4 H413, Flam. Liq. 3 H226, EUH066	CAS-No.: 93685-81-5 EC-No.: 297-629-8

For the full text of the phrases mentioned in this Section, see Section 16.

Hazardous impurities None known.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation Move to fresh air. Consult a physician after significant exposure.

Skin contact No special measures required.

Eye contact Flush eyes with water as a precaution. If eye irritation persists,

consult a specialist.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and

delayed

Dizziness. Headache. Blurred vision.

4.3. Indication of any immediate medical attention and special

treatment needed

None known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Use dry chemical, CO2, water spray or alcohol foam.

Extinguishing media which must not be used for safety reasons

High volume water jet.

5.2. Special hazards arising from

the substance or mixture

Solvents may produce excessive pressure under fire-conditions.

Sealed containers may rupture and ignite.

5.3. Advice for firefighters

Special protective equipment for

firefighters

Standard procedure for chemical fires.

Specific methods Keep containers and surroundings cool with water spray.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Advice for non-emergency

personnel

Remove all sources of ignition. Pay attention to flashback.

Advice for emergency

responders

Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

6.2. Environmental precautions No special environmental precautions required.

6.3. Methods and material for containment and cleaning up

Small quantities: Wipe up with adsorbent material (e.g. cloth, fleece). Large quantities: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). After

cleaning, flush away traces with water.

SECTION 7: Handling and storage

7.1. Precautions for safeUse only in well-ventilated areas. May be ignited by open flame. handling

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)No information available.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit(s)No data is available on the product itself.

Ethanol (CAS 64-17-5)

United Kingdom - Workplace 3000 ppm STEL (calculated) Exposure Limits (WELs) - STELs 5760 mg/m3 STEL (calculated)

United Kingdom - Workplace 1000 ppm TWA Exposure Limits (WELs) - TWAs 1920 mg/m3 TWA

8.2. Exposure controls

Appropriate engineering controls When using, do not eat, drink or smoke.

Personal protection equipment

Respiratory protection No special protective equipment required.

Hand protection Protective gloves complying with EN 374.

Eye protection Avoid contact with eyes.

Skin and body protection No special measures required.

Thermal hazards Container may rupture on heating.

Environmental exposure controls No special measures required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid.

Colour Yellowish.

Odour Like fruit

Melting point/ freezing point: Not determined.

Boiling point or initial boiling 88 °C

point / range:

Flammability: Not determined. Lower and upper explosion limit: Not determined.

Flash point: 11 °C

Auto-ignition temperature: Not determined. **Decomposition temperature:** Not determined.

pH: 7.5

Kinematic viscosity: Not determined.

Solubility: partly soluble (Wasser)

soluble (Alcohol)

Partition coefficient n- Not determined.

octanol/water (log value):

Vapour pressure: Not determined.

Density and/or relative density: ca. 0.82

Relative vapour density:Particle characteristics:
Not determined.
Not applicable.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity No information available.

10.2. Chemical stabilityNo decomposition if used as directed.

10.3. Possibility of hazardous

reactions

None known.

10.4. Conditions to avoid Strong sunlight for prolonged periods. Fire or intense heat may

cause violent rupture of packages.

10.5. Incompatible materials Incompatible with strong bases and oxidizing agents.

10.6. Hazardous decomposition

products

None reasonably foreseeable.

GluHU Remover Print Date 08.09.2022 5 / 10

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Negligible.

Ethanol (CAS 64-17-5)

Inhalation LC50 Rat = 116.9 mg/L 4 h(ECHA_API) Inhalation LC50 Rat = 133.8 mg/L 4 h(ECHA_API)

Oral LD50 Rat = 7060 mg/kg (NLM_CIP) **Decamethylcyclopentasiloxan (CAS 541-02-6)**Dermal LD50 Rabbit > 2000 mg/kg (ECHA_API)

Inhalation LC50 Rat = 8.67 mg/L 4 h(ECHA_API)

Oral LD50 Rat > 24134 mg/kg (NLM_CIP)

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene

fraction, hydrogenated (CAS 93685-81-5)
Dermal LD50 Rabbit > 5000 mg/kg (ECHA_API)
Inhalation LC50 Rat > 16.7 mg/L 4 h(IUCLID)
Oral LD50 Rat > 2000 mg/kg (IUCLID)

Skin corrosion/irritation May cause irritation of the mucous membranes.

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory / Skin Sensitisation None.

Carcinogenicity Contains no ingredient listed as a carcinogen.

Germ cell mutagenicity Contains no ingredient listed as a mutagen.

Reproductive toxicityContains no ingredient listed as toxic to reproduction.

Specific target organ toxicity

(single exposure)

No data available.

Specific target organ toxicity

(repeated exposure)

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard No data available.

Human experience No data available.

11.2. Information on other hazards

Other information No data available.

SECTION 12: Ecological information

12.1. Toxicity This product has no known eco-toxicological effects.

Ethanol (CAS 64-17-5)

Ecotoxicity - Earthworm - Acute

Toxicity Data

LC50 48 h Eisenia foetida 0.1 - 1 mg/cm2 [filter paper] (IUCLID)

GluHU Remover

LC50 96 h Oncorhynchus mykiss 12.0 - 16.0 mL/L [static] (EPA) Ecotoxicity - Freshwater Fish -Acute Toxicity Data

LC50 96 h Pimephales promelas >100 mg/L [static] (EPA)

LC50 96 h Pimephales promelas 13400 - 15100 mg/L [flow-through]

(EPA)

Ecotoxicity - Water Flea - Acute

Toxicity Data

LC50 48 h Daphnia magna 9268 - 14221 mg/L (IUCLID)

EC50 48 h Daphnia magna 2 mg/L [Static] (EPA)

12.2. Persistence and

degradability

Expected to be ultimately biodegradable.

12.3. Bioaccumulative potential No data is available on the product itself.

12.4. Mobility in soil The product evaporates from soil.

12.5. Results of PBT and vPvB

assessment

This preparation contains no substance considered to be persistent,

bioaccumulating nor toxic (PBT).

12.6. Endocrine disrupting

properties

No information available.

12.7. Other adverse effects No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues / unused

products

Must be reconditioned or disposed as special waste. Dispose of as special waste in compliance with local and national regulations.

Contaminated packaging Offer rinsed packaging material to local recycling facilities.

SECTION 14: Transport information

14.1. UN number or ID number **UN 1170**

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) 14.2. UN proper shipping name

14.3. Transport hazard class(es) 3

14.4. Packing group Ш

14.5. Environmental hazards Marine pollutant: No.

14.6. Special precautions for

user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

GluHU Remover Print Date 08.09.2022 7 / 10

UN Model Regulations

ADR/RID UN 1170.

Proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION). Class 3.

Packing group II.
ADR/RID-Labels 3.
Classification code F1.
Hazard identification no. 33.

Limited quantity 1 L. Excepted quantity E2. Transport category 2.

Tunnel restriction code (D/E).

IMDG UN 1170.

Proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION). Class 3.

Packing group II.
IMDG-Labels 3.
Limited quantity 1 L.
Excepted quantity E2.
EmS F-E, S-D.

Marine pollutant: Marine pollutant: No..

IATA UN 1170.

Proper shipping name: Ethanol solution (Ethyl alcohol solution).

Class 3.

Packing group II. IATA label 3.

Packing instruction (passenger aircraft): 353 (5 L).

Packing instruction (LQ): Y341 (1 L).

Packing instruction (cargo aircraft): 364 (60 L).

Inland navigation ADN UN 1170.

Proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL

SOLUTION). Class 3.

Packing group II. ADN labels 3.

Classification code F1. Limited quantity 1 L. Excepted quantity E2.

Further Information None.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulatory Information The product is classified and labelled in accordance with EC

directives or respective national laws. Tactile warning of danger (EN/ISO 11683).

Ethanol (CAS 64-17-5)

TEDX (The Endocrine Disruption

Exchange) - Potential Endocrine

Disruptors

036 Product type 1, 2, 4 (200-578-6)

EU - Biocides (1062/2014) - Annex II Part 1 - Supported Substances

EU - Biocides (2007/565/EC) -

Substances and Product-Types Not to Be Included in Annexes I, IA and

IB to Directive 98/8/EC

EU - REACH (1907/2006) - List of

Present

ECHA)

Product type: 3

Present

Registered Substances

Decamethylcyclopentasiloxan (CAS 541-02-6) TEDX (The Endocrine Disruption Present

Exchange) - Potential Endocrine

Disruptors

EU - REACH (1907/2006) - Annex

PBT. Article 57d XIV (Authorization List) vPvB, Article 57e (Tenth list of Annex XIV recommendations by

Recommendations by ECHA

EU - REACH (1907/2006) - Annex

XVII - Restrictions on Certain

Dangerous Substances

EU - REACH (1907/2006) - Article

59(1) - Candidate List of

Substances of Very High Concern (SVHC) for Authorisation

EU - REACH (1907/2006) - List of

Present

Registered Substances

Hydrocarbons, C4, 1,3-butadiene-free, polymd., triisobutylene fraction, hydrogenated (CAS 93685-

Use restricted. See item 70.

vPvB, Article 57e (208-764-9)

Reason for inclusion PBT, Article 57d

81-5)

EU - REACH (1907/2006) - List of

Registered Substances

Present

15.2. Chemical safety

assessment

Not required.

SECTION 16: Other information

Key or legend to abbreviations

and acronyms

CLP: Classification according to Regulation (EC) No. 1272/2008

(GHS)

VeVA: Ordinance on the Treatment of Waste (SR 814.610)

Key literature references and

sources for data

Sources of key data used to compile the Safety Data Sheet:

REACH, ECHA.

Classification procedure

Classification according to Regulation (EC) No. 1272/2008.

Full text of phrases referred to under sections 2 and 3

EUH066: Repeated exposure may cause skin dryness or cracking.

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H319: Causes serious eye irritation.

H413: May cause long lasting harmful effects to aquatic life.

SVHC-PBT: PBT substance. SVHC-vPvB: vPvB substance.

Instructions for use Keep away from sources of ignition - No smoking. Keep away from

children.

GluHU Remover

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.